

Shibenv-PHP-Lazy

http://shib.kuleuven.be/download/sp/test_scripts/shibenv.php.txt alapján:

```
<html>
<head>
  <title>Shibboleth Attributes - <?php echo $_SERVER["SERVER_NAME"]; ?></title>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <META HTTP-EQUIV="Pragma" CONTENT="no-cache">
  <META HTTP-EQUIV="Expires" CONTENT="-1">
<script language="JavaScript" type="text/JavaScript">
<!--
function decodeAttributeResponse() {
    var textarea = document.getElementById("attributeResponseArea");
    var base64str = textarea.value;
    var decodedMessage = decode64(base64str);
    textarea.value = tidyXml(decodedMessage);
    textarea.rows = 15;
    document.getElementById("decodeButtonBlock").style.display='none';
}

function tidyXml(xmlMessage) {
    //put newline before closing tags of values inside xml blocks
    xmlMessage = xmlMessage.replace(/([ ^>])</g,"$1\n<");
    //put newline after every tag
    xmlMessage = xmlMessage.replace(/>/g,">\n");
    var xmlMessageArray = xmlMessage.split("\n");
    xmlMessage="";
    var nestedLevel=0;
    for (var n=0; n < xmlMessageArray.length; n++) {
        if ( xmlMessageArray[n].search(/<\//) > -1 ) {
            nestedLevel--;
        }
        for (i=0; i<nestedLevel; i++) {
            xmlMessage+=" ";
        }
        xmlMessage+=xmlMessageArray[n]+"\\n";
    }
}
```

```

        if ( xmlMessageArray[n].search(/>/) > -1 ) {
            //level status the same
        }
        else if ( ( xmlMessageArray[n].search(/<\/) < 0 ) && (xmlMessageArray[n].search(/</) > -1) ) {
            //only increment if this was a tag, not if it is a value
            nestedLevel++;
        }
    }
    return xmlMessage;
}

```

```

var base64Key = "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=";

```

```

function decode64(encodedString) {

```

```

    var decodedMessage = "";

```

```

    var char1, char2, char3;

```

```

    var enc1, enc2, enc3, enc4;

```

```

    var i = 0;

```

```

    //remove all characters that are not A-Z, a-z, 0-9, +, /, or =

```

```

    encodedString = encodedString.replace(/[^A-Za-z0-9+\=\]/g, "");

```

```

    do {

```

```

        enc1 = base64Key.indexOf(encodedString.charAt(i++));

```

```

        enc2 = base64Key.indexOf(encodedString.charAt(i++));

```

```

        enc3 = base64Key.indexOf(encodedString.charAt(i++));

```

```

        enc4 = base64Key.indexOf(encodedString.charAt(i++));

```

```

        char1 = (enc1 << 2) | (enc2 >> 4);

```

```

        char2 = ((enc2 & 15) << 4) | (enc3 >> 2);

```

```

        char3 = ((enc3 & 3) << 6) | enc4;

```

```

        decodedMessage = decodedMessage + String.fromCharCode(char1);

```

```

        if (enc3 != 64) {

```

```

            decodedMessage = decodedMessage + String.fromCharCode(char2);

```

```

        }

```

```

        if (enc4 != 64) {

```

```

            decodedMessage = decodedMessage + String.fromCharCode(char3);

```

```

        }

```

```

    } while (i < encodedString.length);

```

```

    return decodedMessage;

```

```

}

```

```

// -->

```

```
</script>
```

```
</head>
```

```
<body>
```

```
<!-- bk beszuras kovetkezik -->
```

```
<?php
```

```
    $myServer = 'https://' . $_SERVER['HTTP_HOST'];
```

```
    $SessionInitiator = $myServer . "/Shibboleth.sso/WAYF/HREF";
```

```
    $myUrl = (isset($_SERVER['HTTPS']) ? 'https' : 'http') . '://' . $_SERVER['HTTP_HOST'] .
```

```
$_SERVER['REQUEST_URI'];
```

```
    // $myUrl: ahova vissza kell majd juttatnia a Shibboleth-nek
```

```
    if (!$_SERVER['HTTP_SHIB_IDENTITY_PROVIDER'])
```

```
        // igy dontjuk el, hogy van-e session
```

```
    {
```

```
        echo "<p><b><a href=\"\$SessionInitiator?target=$myUrl\">Kattints ide a Shibboleth-es  
belepeshez</a></b></p>";
```

```
    }
```

```
    else
```

```
    {
```

```
        $LogoutUrl = $myServer . "/Shibboleth.sso/Logout";
```

```
        echo "<p><b>Van Shib session, oh yeah. </b></p>";
```

```
        echo "<p><a href=\"\$LogoutUrl?return=$myUrl\">Kattints ide</a>, ha <i>errol az SP-rol</i> ki akarsz  
jelentkezni</p>";
```

```
    }
```

```
    echo "<hr>";
```

```
?>
```

```
<!-- bk beszuras vege -->
```

```
<b>-all SHIB headers-</b> (<code>HTTP_SHIB_ATTRIBUTES</code> is not shown in this list)
```

```
<?php
```

```
echo '<table>';
```

```
foreach ($_SERVER as $key => $value)
```

```
{
```

```
    $fkey='_'.$key;
```

```
    if ( strpos($fkey,'SHIB')>1 && $key!="HTTP_SHIB_ATTRIBUTES")
```

```
#    if ( strpos($fkey,'SHIB')>1 )
```

```
    {
```

```
        echo '<tr>';
```

```

        echo '<td>'.$key.'</td><td>'.$value.'</td>';
        echo '</tr>';
    }
}
echo '<tr><td>(REMOTE_USER)</td><td>'.$_SERVER['REMOTE_USER'].'</td></tr>';
echo '<tr><td>(HTTP_REMOTE_USER)</td><td>'.$_SERVER['HTTP_REMOTE_USER'].'</td></tr>';
echo '<tr><td>HTTP_SHIB_LOGOUTURL</td><td>'.$_SERVER['HTTP_SHIB_LOGOUTURL']
.'<a href="/Shibboleth.sso/Logout?return='.$_SERVER['HTTP_SHIB_LOGOUTURL']
.'%3Freturn%3Dhttps%3A%2F%2Fshib.kuleuven.be%2Flogout.shtml">[logout]</a> </td></tr>';
echo '</table>';
?>
<br/>

```

attribute response from the IdP (<code>HTTP_SHIB_ATTRIBUTES</code>):


```

<textarea id="attributeResponseArea" onclick="select()" rows="1" cols="130">
<?php echo $_SERVER["HTTP_SHIB_ATTRIBUTES"]; ?></textarea><br/>
<span id="decodeButtonBlock"><input type="button" id="decodeButton"
value="decode base64 encoded attribute response using JavaScript"
onClick="decodeAttributeResponse();"><br/></span>

```


<small>

notes:

The AAP throws away invalid values (eg an unscopedAffiliation of value "myBoss@<yourdomain>" or a value with an invalid scope which scope is checked)

The raw attribute response (<code>HTTP_SHIB_ATTRIBUTES</code>) is NOT filtered by the AAP and should therefore be disabled for most applications (<code>exportAssertion=false</code>).

</small>

<hr/>

\$_REQUEST

<?php

echo '<table>';

foreach (\$_REQUEST as \$key => \$value)

{

echo '<tr>';

```
        echo '<td>'.$key.'</td><td>'.$value.'</td>';
        echo '</tr>';

    }
    echo '</table>';
?>
```

```
<br/>
<hr/>
<br/>
```

```
<b>$_SERVER</b>
<?php
echo '<table>';
foreach ($_SERVER as $key => $value)
{
    echo '<tr>';
    echo '<td>'.$key.'</td><td>'.$value.'</td>';
    echo '</tr>';

}
echo '</table>';
?>
```

```
<br/>
<hr/>
<br/>
```

```
<b>$_SESSION</b>
<?php
echo '<table>';
foreach ($_SESSION as $key => $value)
{
    echo '<tr>';
    echo '<td>'.$key.'</td><td>'.$value.'</td>';
    echo '</tr>';

}
echo '</table>';
```

?>

<hr/>

</body>

</html>

Változat #3

cziernorbert hozta létre 9 április 2025 16:37:19

cziernorbert frissítette 10 április 2025 09:55:15