

Shibenv-PHP

Eredeti forrás: http://shib.kuleuven.be/download/sp/test_scripts/shibenv.php.txt

```
<html>
<head>
  <title>Shibboleth Attributes - <?php echo $_SERVER["SERVER_NAME"]; ?></title>
  <META HTTP-EQUIV="Pragma" CONTENT="no-cache">
  <META HTTP-EQUIV="Expires" CONTENT="-1">
<script language="JavaScript" type="text/JavaScript">
<!--
function decodeAttributeResponse() {
    var textarea = document.getElementById("attributeResponseArea");
    var base64str = textarea.value;
    var decodedMessage = decode64(base64str);
    textarea.value = tidyXml(decodedMessage);
    textarea.rows = 15;
    document.getElementById("decodeButtonBlock").style.display='none';
}

function tidyXml(xmlMessage) {
    //put newline before closing tags of values inside xml blocks
    xmlMessage = xmlMessage.replace(/([ ^>])</g,"$1\n<");
    //put newline after every tag
    xmlMessage = xmlMessage.replace(/>/g,">\n");
    var xmlMessageArray = xmlMessage.split("\n");
    xmlMessage="";
    var nestedLevel=0;
    for (var n=0; n < xmlMessageArray.length; n++) {
        if ( xmlMessageArray[n].search(/<\//) > -1 ) {
            nestedLevel--;
        }
        for (i=0; i<nestedLevel; i++) {
            xmlMessage+=" ";
        }
        xmlMessage+=xmlMessageArray[n)+"\n";
        if ( xmlMessageArray[n].search(/\//>) > -1 ) {
```

```

        //level status the same
    }
    else if ( ( xmlMessageArray[< 0 ) && (xmlMessageArray[n](n).search(/<V/)).search(/</) > -1) ) {
        //only increment if this was a tag, not if it is a value
        nestedLevel++;
    }
}
return xmlMessage;
}

```

```

var base64Key = "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=";

```

```

function decode64(encodedString) {
    var decodedMessage = "";
    var char1, char2, char3;
    var enc1, enc2, enc3, enc4;
    var i = 0;

    //remove all characters that are not A-Z, a-z, 0-9, +, /, or =
    encodedString = encodedString.replace(/[^A-Za-z0-9\+\=\]/g, "");
    do {
        enc1 = base64Key.indexOf(encodedString.charAt(i++));
        enc2 = base64Key.indexOf(encodedString.charAt(i++));
        enc3 = base64Key.indexOf(encodedString.charAt(i++));
        enc4 = base64Key.indexOf(encodedString.charAt(i++));

        char1 = (enc1 << 2) | (enc2 >> 4);
        char2 = ((enc2 & 15) << 4) | (enc3 >> 2);
        char3 = ((enc3 & 3) << 6) | enc4;

        decodedMessage = decodedMessage + String.fromCharCode(char1);
        if (enc3 != 64) {
            decodedMessage = decodedMessage + String.fromCharCode(char2);
        }
        if (enc4 != 64) {
            decodedMessage = decodedMessage + String.fromCharCode(char3);
        }
    } while (i < encodedString.length);
    return decodedMessage;
}
// -->
</script>

```

</head>

<body>

-all SHIB headers- (`HTTP_SHIB_ATTRIBUTES` is not shown in this list)

<?php

echo '<table>';

foreach (\$_SERVER as \$key => \$value)

{

 \$fkey='_'.\$key;

 if (strpos(\$fkey,'SHIB')>1 && \$key!="HTTP_SHIB_ATTRIBUTES")

if (strpos(\$fkey,'SHIB')>1)

 {

 echo '<tr>';

 echo '<td>'.\$key.'</td><td>'.\$value.'</td>';

 echo '</tr>';

 }

}

echo '<tr><td>(REMOTE_USER)</td><td>'.\$_SERVER['REMOTE_USER'].'</td></tr>';

echo '<tr><td>(HTTP_REMOTE_USER)</td><td>'.\$_SERVER['HTTP_REMOTE_USER'].'</td></tr>';

echo '<tr><td>HTTP_SHIB_LOGOUTURL</td><td>'.\$_SERVER['HTTP_SHIB_LOGOUTURL']

.'<a href="/Shibboleth.sso/Logout?return='.\$_SERVER['HTTP_SHIB_LOGOUTURL'].

'%3Freturn%3Dhttps%3A%2F%2Fshib.kuleuven.be%2Flogout.shtml">[logout] </td></tr>';

echo '</table>';

?>

attribute response from the IdP (`HTTP_SHIB_ATTRIBUTES`):

<textarea id="attributeResponseArea" onclick="select()" rows="1" cols="130">

<?php echo \$_SERVER["HTTP_SHIB_ATTRIBUTES"]; ?></textarea>

<input type="button" id="decodeButton" value="decode base64 encoded attribute response using JavaScript"

onClick="decodeAttributeResponse();">

<small>

notes:

The AAP throws away invalid values (eg an unscopedAffiliation of value "myBoss@<yourdomain>" or a value

with an invalid scope which scope is checked)

The raw attribute response (`HTTP_SHIB_ATTRIBUTES`) is NOT filtered by the AAP and should therefore be disabled for most applications (`exportAssertion=false`).

</small>

<hr/>

\$_REQUEST

<?php

echo '<table>';

foreach (\$_REQUEST as \$key => \$value)

{

 echo '<tr>';

 echo '<td>'.\$key.'</td><td>'.\$value.'</td>';

 echo '</tr>';

}

echo '</table>';

?>

<hr/>

\$_SERVER

<?php

echo '<table>';

foreach (\$_SERVER as \$key => \$value)

{

 echo '<tr>';

 echo '<td>'.\$key.'</td><td>'.\$value.'</td>';

 echo '</tr>';

}

echo '</table>';

?>

```
<br/>
<hr/>
<br/>

<b>$_SESSION</b>
<?php
echo '<table>';
foreach ($_SESSION as $key => $value)
{
    echo '<tr>';
    echo '<td>' . $key . '</td><td>' . $value . '</td>';
    echo '</tr>';

}
echo '</table>';
?>

<br/>
<hr/>
<br/>

</body>
</html>
```

Változat #3

czienorbert hozta létre 9 április 2025 16:35:52

czienorbert frissítette 10 április 2025 09:53:56