RedHatJavaLinks

!!! info

```
A Shibboleth fejlesztők csak a Sun-féle JAVA virtuális gépet támogatják. RedHat/CentOS rendszereken az openjdk csomag mindenféle "alternatives" linket készít. Az alábbi scripttel átírhatjuk a linkeket a sunos Java csomag által adott binárisokra
```

```
#!/bin/bash

JAVA_HOME=/usr/java/default
priority=16635

alternatives \
        --install /usr/bin/java java $JAVA_HOME/bin/java $priority \
        --slave /usr/lib/jvm/jre jre $JAVA_HOME/jre \
  --slave /usr/bin/javaws javaws $JAVA_HOME/bin/javaws \
  --slave /usr/bin/keytool keytool $JAVA_HOME/bin/keytool \
  --slave /usr/bin/orbd orbd $JAVA_HOME/bin/orbd \
  --slave /usr/bin/pack200 pack200 $JAVA_HOME/bin/pack200 \
  --slave /usr/bin/policytool policytool $JAVA_HOME/bin/policytool \
  --slave /usr/bin/rmid rmid $JAVA_HOME/bin/rmid \
  --slave /usr/bin/rmiregistry rmiregistry $JAVA_HOME/bin/rmiregistry \
  --slave /usr/bin/servertool servertool $JAVA_HOME/bin/servertool \
  --slave /usr/bin/tnameserv tnameserv $JAVA_HOME/bin/tnameserv \
  --slave /usr/bin/unpack200 unpack200 $JAVA_HOME/bin/unpack200

alternatives \
  --install /usr/lib/jvm/jre-1.6.0 jre_1.6.0 $JAVA_HOME/jre $priority

alternatives \
  --install /usr/bin/javac javac $JAVA_HOME/bin/javac $priority \
  --slave /usr/lib/jvm/java java_sdk $JAVA_HOME \
  --slave /usr/bin/appletviewer appletviewer $JAVA_HOME/bin/appletviewer \
  --slave /usr/bin/apt apt $JAVA_HOME/bin/apt \
  --slave /usr/bin/extcheck extcheck $JAVA_HOME/bin/extcheck \
  --slave /usr/bin/jar jar $JAVA_HOME/bin/jar \
  --slave /usr/bin/jarsigner jarsigner $JAVA_HOME/bin/jarsigner \
```

```
  --slave /usr/bin/javadoc javadoc $JAVA_HOME/bin/javadoc \
  --slave /usr/bin/javah javah $JAVA_HOME/bin/javah \
  --slave /usr/bin/javap javap $JAVA_HOME/bin/javap \
  --slave /usr/bin/jconsole jconsole $JAVA_HOME/bin/jconsole \
  --slave /usr/bin/jdb jdb $JAVA_HOME/bin/jdb \
  --slave /usr/bin/jhat jhat $JAVA_HOME/bin/jhat \
  --slave /usr/bin/jinfo jinfo $JAVA_HOME/bin/jinfo \
  --slave /usr/bin/jmap jmap $JAVA_HOME/bin/jmap \
  --slave /usr/bin/jps jps $JAVA_HOME/bin/jps \
  --slave /usr/bin/jrunscript jrunscript $JAVA_HOME/bin/jrunscript \
  --slave /usr/bin/jsadebugd jsadebugd $JAVA_HOME/bin/jsadebugd \
  --slave /usr/bin/jstack jstack $JAVA_HOME/bin/jstack \
  --slave /usr/bin/jstat jstat $JAVA_HOME/bin/jstat \
  --slave /usr/bin/jstatd jstatd $JAVA_HOME/bin/jstatd \
  --slave /usr/bin/native2ascii native2ascii $JAVA_HOME/bin/native2ascii \
  --slave /usr/bin/rmic rmic $JAVA_HOME/bin/rmic \
  --slave /usr/bin/schemagen schemagen $JAVA_HOME/bin/schemagen \
  --slave /usr/bin/serialver serialver $JAVA_HOME/bin/serialver \
  --slave /usr/bin/wsgen wsgen $JAVA_HOME/bin/wsgen \
  --slave /usr/bin/wsimport wsimport $JAVA_HOME/bin/wsimport \
  --slave /usr/bin/xjc xjc $JAVA_HOME/bin/xjc
```

Változat #1
document-uploader hozta létre 2025-08-07 12:11:18 CEST
document-uploader frissítette 2025-08-07 12:11:19 CEST