

Shibenv-JSP

Eredeti forrás: http://shib.kuleuven.be/download/sp/test_scripts/shibenv.jsp.txt

```
<html>
<head>
  <title>Shibboleth Attributes - <% out.println( request.getHeader("host") ); %></title>
  <META HTTP-EQUIV="Pragma" CONTENT="no-cache">
  <META HTTP-EQUIV="Expires" CONTENT="-1">
<script language="JavaScript" type="text/JavaScript">
<!--
  function decodeAttributeResponse() {
    var textarea = document.getElementById("attributeResponseArea");
    var base64str = textarea.value;
    var decodedMessage = decode64(base64str);
    textarea.value = tidyXml(decodedMessage);
    textarea.rows = 15;
    document.getElementById("decodeButtonBlock").style.display='none';
  }

  function tidyXml(xmlMessage) {
    //put newline before closing tags of values inside xml blocks
    xmlMessage = xmlMessage.replace(/([\^>])</g,"$1\n<");
    //put newline after every tag
    xmlMessage = xmlMessage.replace(/>/g,">\n");
    var xmlMessageArray = xmlMessage.split("\n");
    xmlMessage="";
    var nestedLevel=0;
    for (var n=0; n < xmlMessageArray.length; n++) {
      if ( xmlMessageArray[n].search(/<\/)/) > -1 ) {
        nestedLevel--;
      }
      for (i=0; i<nestedLevel; i++) {
        xmlMessage+=" ";
      }
      xmlMessage+=xmlMessageArray[n)+"\n";
      if ( xmlMessageArray[n].search(/\/>/) > -1 ) {
        //level status the same
```

```

        }
        else if ( ( xmlMessageArray[< 0 ) &&
(xmlMessageArray[n][n].search(/<\//)).search(/</) > -1) ) {
            //only increment if this was a tag, not if it is a value
            nestedLevel++;
        }
    }
    return xmlMessage;
}

var base64Key = "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=";
function decode64(encodedString) {
    var decodedMessage = "";
    var char1, char2, char3;
    var enc1, enc2, enc3, enc4;
    var i = 0;

    //remove all characters that are not A-Z, a-z, 0-9, +, /, or =
    encodedString = encodedString.replace(/[^A-Za-z0-9+\\/\=]/g, "");
    do {
        enc1 = base64Key.indexOf(encodedString.charAt(i++));
        enc2 = base64Key.indexOf(encodedString.charAt(i++));
        enc3 = base64Key.indexOf(encodedString.charAt(i++));
        enc4 = base64Key.indexOf(encodedString.charAt(i++));

        char1 = (enc1 << 2) | (enc2 >> 4);
        char2 = ((enc2 & 15) << 4) | (enc3 >> 2);
        char3 = ((enc3 & 3) << 6) | enc4;

        decodedMessage = decodedMessage + String.fromCharCode(char1);
        if (enc3 != 64) {
            decodedMessage = decodedMessage + String.fromCharCode(char2);
        }
        if (enc4 != 64) {
            decodedMessage = decodedMessage + String.fromCharCode(char3);
        }
    } while (i < encodedString.length);
    return decodedMessage;
}
// -->
</script>

```

</head>

<body>

<u>-all SHIB headers-</u> (`HTTP_SHIB_ATTRIBUTES` and `Shib-Attributes` are not shown in this list)

<table>

<%

```
java.util.Enumeration eHeaders = request.getHeaderNames();
while(eHeaders.hasMoreElements()) {
    String name = (String) eHeaders.nextElement();
    if ( ( name.matches(".*Shib.*") || name.matches(".*shib.*") ) &&
!name.equals("HTTP_SHIB_ATTRIBUTES") && !name.equals("Shib-Attributes")) {
        Object object = request.getHeader(name);
        String value = object.toString();
        out.println("<tr><td>" + name + "</td><td>" + value+"</td></tr>");
    }
}
```

}

%>

</table>

attribute response from the IdP (`Shib-Attributes` or `HTTP_SHIB_ATTRIBUTES`):

<textarea id="attributeResponseArea" onclick="select()" rows="1" cols="130"><%

```
String attributesString=null;
if ( request.getHeader("Shib-Attributes")!=null )
attributesString=request.getHeader("Shib-Attributes");
else if ( request.getHeader("HTTP_SHIB_ATTRIBUTES")!=null )
attributesString=request.getHeader("HTTP_SHIB_ATTRIBUTES");
out.println( attributesString );
```

%></textarea>

<input type="button" id="decodeButton" value="decode base64 encoded attribute response using JavaScript"

onClick="decodeAttributeResponse();">

<hr/>

<%

```
out.print("request.getRemoteUser: "+request.getRemoteUser()+"<br/>");
out.print("REMOTE_USER: "+request.getHeader("REMOTE_USER")+"<br/>" );
out.print("HTTP_REMOTE_USER: "+request.getHeader("HTTP_REMOTE_USER")+"<br/>" );
```

%>

<hr/>

<u>REQUEST PARAMETERS (GET/POST)</u>

<table>

<%

```
java.util.Enumeration eParameters = request.getParameterNames();
while(eParameters.hasMoreElements()) {
    String name = (String) eParameters.nextElement();
    Object object = request.getParameter(name);
    String value = object.toString();
    out.println("<tr><td>" + name + "</td><td>" + value+"</td></tr>");
```

}

%>

</table>

<hr/>

<u>ALL HEADERS</u>

<table>

<%

```
// already initiated at top of script
// java.util.Enumeration eHeaders = request.getHeaderNames();
// reset to beginning of Enumeration
eHeaders = request.getHeaderNames();
```

```

while( eHeaders.hasMoreElements() ) {
    String name = (String) eHeaders.nextElement();
    Object object = request.getHeader(name);
    String value = object.toString();
    out.println("<tr><td>" + name + "</td><td>" + value+"</td></tr>");
}
%>
</table>

<br/>
<hr/>
<br/>

<u>SESSION</u><br/>
<table>
<%
out.println("SESSION_ID: "+session.getId()+"<br/>");

java.util.Enumeration eSession = session.getAttributeNames() ;
while(eSession.hasMoreElements()) {
    String name = (String) eSession.nextElement();
    Object object = session.getAttribute(name);
    String value = object.toString();
    out.println("<tr><td>" + name + "</td><td>" + value+"</td></tr>");
}
%>
</table>

<br/>
<hr/>
<br/>

</body>
</html>

```

Változat #1

czernorbert hozta létre 2026-04-14 13:22:48 CEST

czernorbert frissítette 2026-04-17 10:56:16 CEST